

US PAT. 6,013,096; 6,605,079 Patents Pending
1st Cold Laser in the World to Receive
510(k) Market Clearance from the FDA



635nm Cold Lasers as an Adjunct to Burn Pain Management

Jeffery M. Nelson MDFACS— St. Mary's Burn & Wound Care Program

51 year old post 50% burn from propane explosion. DOI 05.12.03

Case File



A

Pre-Erchonia 16 hours post-injury.



B

Post Erchonia 16 hours post injury. Increased perfusion and tissue weepage post treatment.



C

Spontaneous bleeding from leg post laser treatment 14 days post burn.



D

2 months past Erchonia treatments and allografting.

58 year old post deep 2nd° burn to feet from molten carpet in a house fire. DOI 04.30.03

Case File



A

Right foot prior to 3rd Erchonia treatment. Pain decreased by 75% post treatment.



B

Left foot.



C

11 days post 5 Erchonia treatments and allografting.



D

28 days post injury. 6 Erchonia treatments 60% decrease in pain averaged over treatments.

Various Burn Patients.

Case File



A

Patient receiving Erchonia treatment post burns. Pain decrease of 50% in 5 min. post-treatment.



B

Minor hand burn. Pain decrease of 50% in 5 min. post-treatment.



C

18 year old post-grease burn. Pain decrease of 75% post-treatment.



D

Patient in pic fully healed with good skin quality 4 months post injury.